



INSTANT SHADE  
UMBRELLAS

# PRODUCT CATALOGUE

# Hello!

**We are Designers & Distributors of the best umbrella shade solutions.**

As a trusted family-owned and family-run business with almost 30 years of expertise in crafting premium shade solutions across Australia, we understand the essence of great customer service and enduring client relationships. Our journey is defined by a commitment to innovation, reflected in our unique product range that seamlessly blends functionality with aesthetic appeal.



<b>RESIDENTIAL</b>	<b>08</b>
<b>COMMERCIAL</b>	<b>42</b>
<b>BASES</b>	<b>66</b>
<b>FITTINGS</b>	<b>72</b>
<b>ACCESSORIES</b>	<b>82</b>
<b>INFORMATION</b>	<b>90</b>



## ABOUT INSTANT SHADE

Our product lineup is meticulously tailored for the Australian climate, with designs conceived and perfected right here in Australia. Manufactured by a global supply chain, each piece undergoes rigorous quality control and precision manufacturing processes, ensuring durability and reliability that exceeds expectations. Backed by industry-leading warranties, comprehensive support, responsive service, and readily available spare parts, we guarantee peace of mind with every purchase.

We also proudly serve as the exclusive Australian importers and distributors of Umbrosa's pioneering shade solutions from Belgium. This season, we're thrilled to introduce an expanded selection of their innovative designs, renowned for their elegance and functionality. Embrace sophistication and unparalleled craftsmanship as you explore our curated collection, designed to elevate your outdoor living experience effortlessly.

We provide premium shade solutions designed to enhance your outdoor lifestyle. Our extensive range includes a variety of high-quality umbrella models, crafted to withstand the rigours of Australian weather conditions. Whether you're looking to create a stylish retreat in your backyard, provide shelter for a commercial space, or enhance a hospitality setting, our products blend innovative design with durability and functionality.



### WARRANTY

Industry leading warranties for residential and commercial applications.



### CUSTOMER SERVICE

We stand by our products with our dedicated customer service team to help on all enquiries.



### INSTALLATION

We offer installation service for Melbourne metro area for residential customers.



### CUSTOM PRINTING

We can print on all our umbrellas for maximum brand exposure. No job is too big or small.



### BESPOKE DESIGN

We have created a design tool to help customers design the right umbrella for their outdoor area.



### BIG IDEAS

We innovate and improve our products year in year out to ensure you get the very best umbrellas.

**20+**  
EXCLUSIVE  
SHADE PRODUCTS

**29**  
YEARS IN  
SHADE

**50+**  
AUSTRALIA  
WIDE STOCKISTS

## MEET WITH OUR TEAM



**MICHAEL WLOSZCZAK**  
Director

Michael plays a pivotal role in expanding Instant Shade's distributor network and fostering strong, collaborative relationships with both manufacturers and partners. With a strategic mindset, he actively identifies opportunities for growth. His expertise spans financial management, IT systems, stock control, and marketing. Each contributing to a well-rounded approach that supports scalable growth. Since joining the family business 25 years ago, Michael's vision and dedication has driven Instant Shade's expansion, operational efficiency, and reputation for excellence.



**TONY BROUGHAM**  
Director

As one of the founding minds behind Instant Shade, Tony has played a central role in transforming the business from a modest garage-based operation into a globally recognised brand. His decades-long journey is marked by vision, resilience, and a deep commitment to innovation. A registered building practitioner, Tony brings unmatched expertise in engineering, product design, operations, and logistics. His technical precision and creative ingenuity have been instrumental in developing high-quality shade solutions that meet the evolving needs of customers across Australia and around the world. Tony remains a driving force behind the company's continued growth and excellence.



**TOAST MALONE**  
COF (Chief Officer of Fun)

Toast's favourite office activities include supervising lunchtime, participating in team-building exercises (tug-of-war), and offering her expert opinion on the comfiest spots for midday naps.



**RACHEL CASEMORE**  
General Manager

Demonstrates strong leadership in driving excellence across the business. Her proactive approach, strategic thinking, and ability to inspire teams ensure that every function is executed with precision and accountability.



**ALAN SCOTT**  
Business Development Manager

Alan helps commercial clients identify tailored shade solutions that align with their project goals with a focus on large-scale commercial ventures. Leveraging his deep industry knowledge to build lasting relationships and uncover new opportunities.



**SUSAN HOCKINGS**  
Account Manager

Provides dedicated, personalised support to our distributor network, ensuring a smooth and efficient experience from order placement to installation. With in-depth product knowledge, Susan plays a key role in maintaining operational excellence.



**NADIA WLOSZCZAK**  
Accounts

Combines a strong foundation in trust accounting with creative communication, excelling in both financial management and brand storytelling. Her attention to detail strengthens brand presence and audience connection across social media.




**ARRAN BATISH**  
Commercial Sales Account Manager

Arran brings strong sales and account management experience, excellent communication skills, and a positive attitude to drive client relationships, boost sales, and support the commercial team's success.



**THOMAS BENNETT**  
Marketing Coordinator and Graphic Designer

Tom manages marketing and design, ensuring brand consistency across print, digital, and socials. He creates engaging materials, maintains websites, executes campaigns, handles in-house printing and enhances customer engagement.



**NICHOLAS BEER**  
Warehouse Manager

Nick oversees warehouse operations, ensuring efficient inventory management, order fulfilment, and workplace safety. He coordinates logistics and maintains smooth workflows to support timely deliveries.



**TOM OSBORNE**  
Warehouse Operations

Tom specialises in preparing and maintaining umbrellas, assisting with installations on-site, performing repairs, and supporting customer umbrella setups to ensure products are presented, functioning, and delivered to clients at the highest standard.

01

MEET OUR  
**LIFESTYLE RANGE**


# HEAVY DUTY CANTILEVER UMBRELLA ECLIPSE® V4

Australian Des. Reg. No. 202418675



## Dimensions

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed. \*\*Wind rating is a guide based on using our Freestanding '880' base.



## CLOSED UMBRELLA

	3M SQ	4M OCT	3X4M RECT	3.5M SQ
a: Mast height (cm)	283	283	283	283
b: Distance from arms to ground (cm)	68	80	34	34
Weight of umbrella when folded (kg)	44	45	46	47

## OPEN UMBRELLA

c: Height to canopy hub (cm)	205	207	212	212
d: Total height to top of canopy (cm)	283	275	285	289
e: Height to edge of canopy (cm)	210	210	210	210
f: Distance back of mast to edge of canopy (cm)	329	405	329	375
Canopy Shade Area	9m <sup>2</sup>	11.3m <sup>2</sup>	12m <sup>2</sup>	12.25m <sup>2</sup>

## PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	295x51x30			
Weight of umbrella when packaged with spigot (kg)	60	62	63	64

## WIND GUIDANCE\*

Installed wind rating (km/h)*	65	50
Freestanding 880 base rating (km/h)**	30	Install Only

## KEY FEATURES



Solid Aluminium Hub



Stainless Steel Winder Handle



Aluminium Tilt Locking Knob



24 Rotational Locking Positions

## SPIGOT



316 Stainless Steel Spigot as Standard

## FRAME FINISH



Matt Silver Anodised

White PC

Bronze PC

Black PC

## STANDARD ACRYLIC COLOURS



Natural

Slate

Smoked Tweed

## WARRANTY



5 YEAR FRAME WARRANTY



10 YEAR FADE WARRANTY



65 KM/H WIND RATING

# HEAVY DUTY CANTILEVER UMBRELLA ECLIPSE® V4

## Price List RRP inc GST

### UMBRELLA SIZE

Eclipse® v4 3m Square	UNPKECL30SQANACxx	\$3,999
Eclipse® v4 4m Octagonal	UNPKECL40OCANACxx	\$4,199
Eclipse® v4 3.5m Square	UNPKECL35SQANACxx	\$4,499
Eclipse® v4 3m x 4m Rectangle	UNPKECL34RTANACxx	\$4,499

Includes Stainless Steel Spigot as Standard

### MADE TO ORDER COLOURS

Made-to-Order Non-Standard Colours (Acrylic Canvas)		\$350
Non-standard colour frame (Black Anodised and/or White & Bronze Powder-Coat), lead time 8-12 weeks		\$300

Made to order lead time is 3-4 weeks

### ACCESSORIES

Bolt Down Base Plate - Grey powder-coat	UNBSBDP315RGY	\$175
Bolt Down Base Plate - Stainless Steel	UNBSBDP315RSS	\$349
Inground Fitting	UNBSING350LGV	\$175
Extended Inground Sleeve	UNBSING100GV	\$249
Barrel Spacer - 30cm	UNBSBRL300HGY	\$220
Barrel Spacer - 50cm	UNBSBRL500HGY	\$270
Freestanding 900 Base with integrated wheels	UNBSFSB900SAN	\$1149
Protective Cover Small (STD colour)	UNBGCOVEASMACxx	\$299
Protective Cover Large (STD colour)	UNBGCOVEALGACxx	\$299
Stabiliser Bars - Aurora & Eclipse v2	UNZZSTBxxxx	\$99
Stabiliser Bars - Eclipse v4	UNZZSTBECLV4xx	\$179
LED Light - Clip On	UNZZLED300LWH	\$99
ETNA LED Light	UNZZLEDETNV1	\$199

### DOWNLOAD GUIDES



Manual



Video

### ECLIPSE® V4 | MATT SILVER ANODISED FRAME & TURQUOISE STRIPE ACRYLIC




### ECLIPSE® V4 | MATT SILVER ANODISED FRAME & PACIFIC BLUE ACRYLIC




# RESIDENTIAL CANTILEVER UMBRELLA

## AURORA V2




### Dimensions

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed. \*\* Wind rating is a guide based on using our Freestanding '880' base, weighing at least 240kg.



2.8M SQ



3.5M OCT

### CLOSED UMBRELLA

a: Mast height (cm)	282	282
b: Distance from arms to ground (cm)	76	100
Weight of umbrella when folded (kg)	27	27

### OPEN UMBRELLA

c: Height to canopy hub (cm)	210	200
d: Total height to top of canopy (cm)	274	264
e: Height to edge of canopy (cm)	215	210
f: Distance from back of mast to front edge of canopy (cm)	310	360
Canopy shade area	7.8m <sup>2</sup>	8.6m <sup>2</sup>

### PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	297x51x31
Weight of umbrella when packaged with spigot (kg)	60

### WIND GUIDANCE\*

Installed wind rating (km/h)*	50
Freestanding 880 base rating (km/h)	30

### KEY FEATURES



Bi-directional Winder Handle



Infinity Tilt System



Easy-Glide Slider Car



Strengthened Rib Profile

### SPIGOT



Grey PC Spigot as Standard

### FRAME FINISH



Anodised

White PC

Bronze PC

Black PC

### STANDARD OLEFIN COLOURS



Natural

Slate

Smoked Tweed

### WARRANTY



3 YEAR FRAME WARRANTY



2 YEAR FADE WARRANTY



50 KM/H WIND RATING

# RESIDENTIAL CANTILEVER UMBRELLA

## AURORA V2

### Price List RRP inc GST

#### UMBRELLA SIZE

Aurora 2.8m Square	UNPKAUR28SQANOLxx	\$2,599
Aurora 3.5m Octagonal	UNPKAUR35OCANOLxx	\$2,599

#### MADE TO ORDER COLOURS

Made-to-Order Non-Standard Colours (Acrylic Canvas)		\$550
Non-Standard Colour Frame Powder-Coat (White, Black, Bronze, lead time 8-10 weeks)		\$300

Made to order lead time is 3-4 weeks

#### ACCESSORIES

Base Plate - Grey Powder-Coat	UNBSBDP315RGY	\$175
Base Plate - Stainless Steel	UNBSBDP315RSS	\$349
Inground Fitting	UNBSING350LGV	\$175
Extended Inground Sleeve	UNBSING100GV	\$275
Barrel Spacer - 30cm	UNBSBRL300HGY	\$220
Barrel Spacer - 50cm	UNBSBRL500HGY	\$270
Upgrade to Stainless Steel Spigot	UNBSSPGVER1SS	\$195
Cross Base (To Suit Aurora Only)	UNBSCR1080BK	\$249
Cross Base Pavers (Set of 4)	UNBSPVRSET4BK	\$249
Freestanding 900 Base with integrated wheels	UNBSFSB900SAN	\$1149
Protective Cover (STD colour)	UNBGCOVEASMACxx	\$299
Stabiliser Bars	UNZZSTBxxxx	\$99
LED Light - Clip On	UNZZLED300LWH	\$99
ETNA LED Light	UNZZLEDETNAV1	\$199

#### DOWNLOAD GUIDES



Manual



Video


#### AURORA V2 | PREMIUM YELLOW STRIPE ACRYLIC




#### AURORA V2 | PREMIUM NATURAL ACRYLIC






# DESIGNER CANTILEVER UMBRELLA VERSA UX



## ARCHITECTURE & FULL BLACK



## SAND



## Dimensions

All measurements are rounded and are subject to change.\*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.

## 3M SQUARE



	A	B	C	D	E	F	G	H	I	J	K
Architecture / Full Black	365	195	185	260	280	128	325	410	77	265	45
Sand	365	195	185	260	280	128	325	410	77	265	45

## PACKAGING DIMENSIONS

Umbrella box packaging (cm)	265x36x33
Weight of umbrella when packaged with spigot (kg)	70
Base packaging (cm)	90x90x18
Weight of freestanding base packaging (kg) / Including pavers	33/200

## WIND GUIDANCE\*

Installed wind rating (km/h)*	50
Freestanding base rating (km/h)	25

## KEY FEATURES



Easy-Glide Tilt Lock



Fibreglass Ribs




360° Rotation




Extension Kit (Upgrade)


## COLOUR OPTIONS



Architecture (White)



Full Black



Sand



Sunbrella  
Marble  
Papyrus  
White  
Powder Coat



Sunbrella  
Black  
Black  
Powder Coat



Sunbrella  
Sand  
Beige  
Limestone  
Powder Coat  
Wooden  
Cover SIPO  
Mahogany

## WARRANTY



DESIGNER CANTILEVER UMBRELLA  
**VERSA UX**

**Price List RRP inc GST**

**UMBRELLA SIZE**

Versa UX 3m Square Umbrella + Base*	UUPKVER30SQxx	\$6,999
Versa UX 3m Square Umbrella	UUUTVER30SQxx	\$4,999

\* Pavers included with all bases

**ACCESSORIES**

Versa UX Base* (with wheels)	UUBSUXBxx	\$1,999
Inground Fitting	UUBSINGVERGV	\$249
Bolt Down Spigot	UUBSSPGVER	\$499
Extension Kit	UUBSEXTVERxx	\$199

\* Pavers included with all bases

**VERSA UX | SAND**



**OPERATIONAL VIDEO**



Video


**VERSA UX | ARCHITECTURE (WHITE)**



**VERSA UX | FULL BLACK**



# LEAF SHAPED SHADE UMBRELLA ICARUS UX



## Dimensions

All measurements are rounded and are subject to change.\*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.

## 3M OCTAGONAL

	A	B	C	D	E	F	G	H	I
All models (cm)	255	260	44	240	260	380	150	300	300

## PACKAGING DIMENSIONS

	L (cm)	W (cm)	H (cm)	Weight
Umbrella box	307	63	31	35kg
Base L UX Sand/Full Black	90	90	18	33kg

## WIND GUIDANCE\*

Installed wind rating (km/h)*	50
Freestanding base rating (km/h)	25

## KEY FEATURES



Organic Leaf Shape



Flexible Fibreglass Ribs



Unique Curved Mast

## COLOUR OPTIONS



Architecture (White)



Sand



Full Black



Sunbrella  
Marble



Papyrus  
White  
Powder Coat



Sunbrella  
Sand



Beige  
Limestone  
Powder Coat



Wooden  
Cover SIPO  
Mahogany



Sunbrella  
Black



Black  
Powder Coat

## WARRANTY



**3**  
YEAR  
FRAME  
WARRANTY



**5**  
YEAR  
FADE  
WARRANTY



**50**  
KM / H  
WIND  
RATING

# LEAF SHAPED SHADE UMBRELLA ICARUS UX

## Price List RRP inc GST

### UMBRELLA SIZE

Icarus UX 3m Leaf Umbrella + Base*	UUPKVER30SQxx	\$6,999
Icarus UX 3m Leaf Umbrella	UUUTVER30SQxx	\$4,999

\* Pavers included with all bases

### ACCESSORIES

Icarus UX Base*	UUBSUXBxx	\$1,999
Inground Fitting	UUBSINGVERGV	\$249
Bolt Down Spigot (for timber decking)	UUBSSPGVER	\$499
Extension Kit	UUBSEXTVERxx	\$199

\* Pavers included with all bases

### ICARUS UX | SAND



### DOWNLOAD GUIDE




Manual


### ICARUS UX | ARCHITECTURE



### ICARUS UX | ARCHITECTURE





# WALL MOUNT UMBRELLA WITH TILT PARAFLEX



## Dimensions

All measurements are rounded and are subject to change.\*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



## OPEN UMBRELLA

	1.9M SQ	2.7M HX	3M HX
a: Full length with evolution arm (cm)	286	310	329
b: Evolution arm length (cm)	210	210	210
c: Width of canopy (cm)	190	270	300
d: Height of canopy to ground* (cm)	222	230	230
f: Height of canopy when tilted (cm)	181	173	173
g: Height of canopy pole (cm)	77	77	77
Canopy shade area	3.6m <sup>2</sup>	4.7m <sup>2</sup>	5.8m <sup>2</sup>
e: Wall bracket (cm)	30h x 9w x 5d		

## PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	145x41x21	145x41x21	170x41x21
Weight of umbrella when packaged	11	13	15

## WIND GUIDANCE\*

Installed wind rating (km/h)*	50	40	30
-------------------------------	----	----	----



Easy Action Tilt System



Pole Mount available



Flexible Shade



Protective Cover available

## FRAME FINISH



Silver Anodised


## STANDARD OLEFIN COLOURS



Natural



Slate



Smoked Tweed

## WARRANTY



**3**  
YEAR  
FRAME  
WARRANTY



**2**  
YEAR  
FADE  
WARRANTY



**50**  
KM / H  
WIND  
RATING

# WALL MOUNT UMBRELLA WITH TILT

## PARAFLEX

### Price List RRP inc GST

#### UMBRELLA SIZE

Paraflex 1.9m Square	UUPKPFX19SQANOLxx	\$1,199
Paraflex 2.7m Hexagonal	UUPKPFX27HXANOLxx	\$1,299
Paraflex 3m Hexagonal	UUPKPFX30HXANOLxx	\$1,399

#### MADE TO ORDER COLOURS

Made-to-Order Non-Standard Colours (Acrylic Canvas)	\$350
Made to order lead time is 3-4 weeks	

#### ACCESSORIES

Protective Cover Small (STD colour)	UUBGCOVPFXSMACxx	\$149
Protective Cover Large 3m Hex (STD colour)	UUBGCOVPFXLGACxx	\$149
Single Pole 200cm	UUBSP220	\$499
Wall Brackets for Single Pole (set of 2)	UUBSPWBSET2	\$99
Multi-pole 230cm	UUBSP230	\$950
Top Pole (for 5th umbrella multi-pole)	UUBSPPT	\$99
Inground Fitting (for pole only)	UUBSING	\$275
Spigot (for pole only on concrete or decking)	UUBSSPGPFX	\$199

#### DOWNLOAD GUIDES



Manual



Video

#### PARAFLEX | PREMIUM WHITE ACRYLIC




#### PARAFLEX | NATURAL OLEFIN CANVAS




# WALL MOUNT UMBRELLA WITH TILT

## PARAFLEX UX FULL BLACK



### Dimensions

All measurements are rounded and are subject to change.\*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



### OPEN UMBRELLA

**2.3M SQ**

a: Full length with evolution arm (cm)	315
b: Evolution arm length (cm)	200
c: Width of canopy (cm)	230
d: Height of canopy to ground* (cm)	200
f: Height of canopy when tilted (cm)	163
g: Height of canopy pole (cm)	63
Canopy shade area	5.29m <sup>2</sup>
e: Wall bracket (cm)	30h x 9w x 5d

### PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	178x41x21
Weight of umbrella when packaged (kg)	17

### WIND GUIDANCE\*

Installed wind rating (km/h)*	30
-------------------------------	----

### KEY FEATURES



Matching Black Fittings



Aluminium Frame with 316 SS Polished Hinges



Matching Black Anodised Mounting Bracket



Protective Cover available

### FRAME FINISH



Black PC

### STANDARD PREMIUM SOLUTION DYED ACRYLIC



Black

### WARRANTY



# WALL MOUNT UMBRELLA WITH TILT

## PARAFLEX UX FULL BLACK

### Price List RRP inc GST

#### UMBRELLA SIZE

Paraflex UX Full Black 2.3m Square	UUPKPFX23SQBKACBK	\$1,899
------------------------------------	-------------------	---------

#### MADE TO ORDER COLOURS

Made-to-Order Non-Standard Colours (Acrylic Canvas)		Not Available
---	--	---------------

#### ACCESSORIES

Protective Cover X-Large (suit 2.3m Sq)	UUBGCOVPFXLACBK	\$159
Single Pole 200cm*	UUBSP220	\$499
Wall Brackets for Single Pole (set of 2)*	UUBSPWSET2	\$99
Multi-pole 230cm*	UUBSP230	\$950
Top Pole (for 5th umbrella multi-pole)*	UUBSPPT	\$99
Inground Fitting (for pole only)*	UUBSING	\$275
Spigot (for pole only on concrete or decking)*	UUBSSPGPFX	\$199

\*Please be aware any Paraflex accessories purchased for the Paraflex UX will be the STD Silver Anodised. Black Powder Coat accessories are not available.

### PARAFLEX UX | FULL BLACK ACRYLIC



### PARAFLEX UX | FULL BLACK ACRYLIC



#### DOWNLOAD GUIDES



Manual




Video

PREMIUM MARKET UMBRELLA  
**GREENWICH**



**Dimensions**

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



**FRAME SPECIFICATIONS**

Post (outside diameter)	38mm	38mm	50mm	50mm
-------------------------	------	------	------	------

**CLOSED UMBRELLA**

a: Height (cm)	259	274	292	292
b: Closed canopy clearance (cm)	106	101	70	70

**OPEN UMBRELLA**

c: Width of canopy (cm)	200 x 200	320	250 x 340	300 x 300
d: Height to edge of canopy (cm)	193	208	218	221
Canopy shade area	4m <sup>2</sup>	7.2m <sup>2</sup>	8.5m <sup>2</sup>	9m <sup>2</sup>

**PACKAGING DIMENSIONS**

Dimensions of cardboard packaging (cm)	180x21x21	200x24x24	300x29x26	300x29x26
Weight of umbrella when packaged (kg)	10	16	23	23

**WIND GUIDANCE\***

Installed wind rating (km/h)*	60	60	50	50
Freestanding base rating (km/h)*	30	30	25	25

**KEY FEATURES**



Robust Aluminium Hub



High Strength Nylon Joints



'G' Rib for strength




Decorative Finial

**FRAME FINISH**




Polished Anodised    White    Bronze    Black

**STANDARD ACRYLIC COLOURS**



Natural    Smoked Tweed    Black Stripe

**\*WITH VALANCES**



\*Palm Springs    \*Hamptons

**WARRANTY**



# PREMIUM MARKET UMBRELLA GREENWICH

## Price List RRP inc GST

### UMBRELLA SIZE (IN STOCK - NO VALANCE)

Greenwich 2m Square	UNPKGREGRE20SQANACxx	\$999
Greenwich 3.2m Octagonal	UNPKGREGRE32OCANACxx	\$1,299
Greenwich 3m Square	UNPKGREGRE30SQANACxx	\$1,799
Greenwich 2.5m x 3.4m Rectangle	UNPKGREGRE2534RTANACxx	\$1,899

### ACRYLIC (IN STOCK WITH VALANCE "PALM SPRINGS OR HAMPTONS")

Greenwich 2m Square	UNPKGREGRE20SQANACxx	\$1,120
Greenwich 3.2m Octagonal	UNPKGREGRE32OCANACxx	\$1,420
Greenwich 3m Square	UNPKGREGRE30SQANACxx	\$1,953
Greenwich 2.5m x 3.4m Rectangle	UNPKGREGRE2534RTANACxx	\$2,053

### MADE TO ORDER COLOURS - ACRYLIC

Greenwich Small Sizes Non-Standard Colours Acrylic Canvas (Including Alt Panel Colours)	\$250
Greenwich Large Sizes Non-Standard Colours Acrylic Canvas (Including Alt Panel Colours)	\$300
Greenwich Small Size - Add Valance (Straight, Rounded or Square Scaloped)	\$121
Greenwich Large Size - Add Valance (Straight, Rounded or Square Scaloped)	\$154

Made to order lead time is 3-4 weeks

### ACCESSORIES

50mm 18kg Freestanding Base	UNBSFSB5018BK	\$145
50mm 45kg Concrete Freestanding Base	UNBSFSB50LGGY	\$249
50mm 35kg Freestanding Heavy Base	UNBSFSB5035BK	\$399
SS Wheels for Freestanding Heavy Base	UNBSFSBWHEELSS	\$150
50mm Inground Fitting Kit	UNBSING50MMSS	\$198
50mm SS Deck Plate and Spigot	UNBSBDS50KTSS	\$249
Protective Cover Small (2.5m Sq & 3.5m Oct)	UNBGCOVMONSMACxx	\$199
Protective Cover Large (3m Sq)	UNBGCOVMONLGACxx	\$199
LED Light - Clip On	UNZZLED300LWH	\$99
Sandbag Set of 2 (empty)	UNBSSBGPVC2BK	\$66

### DOWNLOAD GUIDES



Brochure

### GREENWICH | STANDARD BLACK STRIPE ACRYLIC



### GREENWICH | STANDARD HAMPTONS ACRYLIC WITH SCALLOP VALANCES




# PREMIUM PATIO UMBRELLA WITH TILT MONTEREY



## Dimensions

All measurements are rounded and are subject to change. \*The wind speed are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind.



## OPEN UMBRELLA

2.7M OCT

a: Width of canopy (cm)	270
b: Canopy edge height (cm)	205
e: Canopy height when tilted (cm)	155
f: Height from top of base to underside of winder handle (cm)	100
g: Canopy height when tilted (cm)	260
Canopy shade area	5.2m <sup>2</sup>

## CLOSED UMBRELLA

c: Height (cm)	271
d: Closed canopy clearance (cm)	125

## FRAME SPECIFICATIONS

Post (outside diameter x thickness x length (cm))	3.8x2mmx260
---	-------------

## PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	200x20x20
Weight of umbrella when packaged (kg)	11

## WIND GUIDANCE\*

Installed wind rating (km/h)*	50
Freestanding 30kg concrete base rating (km/h)	30

## KEY FEATURES



Unique Auto-Tilt System



Flexible Fibreglass Ribs



Commercial Grade Crank Handle

## FRAME FINISH



Anodised White PC Bronze PC Black PC

## STANDARD OLEFIN COLOURS



Natural Slate Smoked Tweed

## WARRANTY



# PREMIUM PATIO UMBRELLA WITH TILT MONTEREY

## Price List RRP inc GST

### UMBRELLA SIZE

Monterey 2.7m Octagonal	UNPKMTY27OCANOLxx	\$599
-------------------------	-------------------	-------

### MADE TO ORDER COLOURS - ACRYLIC

Made-to-Order Non-Standard Colours (Acrylic Canvas)		\$350
Non-standard colour frame Powder-Coat (White, Black, Bronze, lead time 8-10 weeks)		\$80

Made to order lead time is 3-4 weeks

### ACCESSORIES

40mm 14kg Freestanding Base	UNBSFSB4014BK	\$125
40mm 30kg Concrete Freestanding Base	UNBSFSB40SMGY	\$179
40mm 35kg Freestanding Heavy Base	UNBSFSB4035BK	\$399
SS Wheels for Freestanding Heavy Base	UNBSFSBWHEELSS	\$150
40mm Inground Fitting Kit	UNBSING40MMSS	\$198
40mm SS Deck Plate and Spigot	UNBSBDS40KTSS	\$249
Small Protective Cover	UNBGCovMTYSMACxx	\$149
LED Light - Clip On	UNZZLED300LWH	\$99
Sandbag Set of 2 (empty)	UNBSSBGPVC2BK	\$66

## MONTEREY | PREMIUM TURQUOISE ACRYLIC



## MONTEREY | PREMIUM BLACK ACRYLIC



### DOWNLOAD GUIDES



Manual



Video

**02**


MEET OUR  
**COMMERCIAL RANGE**

# COMMERCIAL GRADE CENTRE POST UMBRELLA CAFE SERIES



## Dimensions

All measurements are rounded and are subject to change.



## FRAME SPECIFICATIONS

	2M SQ	2.8M OCT	3M SQ	4.2M OCT
Post (outside diameter x thickness x length (cm))	4x2mmx260	4x2mmx260	5x2mmx290	5x2mmx290
Long arms (cm)	18x24x1.2mm	18x24x1.2mm	18x30x1.2mm	18x30x1.2mm

## CLOSED UMBRELLA

a: Height (cm)	260	260	290	290
b: Closed canopy clearance (cm)	100	100	75	75

## OPEN UMBRELLA

c: Width of canopy (cm)	200	280	300	420
d: Height to edge of canopy (cm)	205	205	210	210
Canopy shade area	4m <sup>2</sup>	5.5m <sup>2</sup>	9m <sup>2</sup>	12.4m <sup>2</sup>

## PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	170x23x23	170x23x23	297x25x25	297x25x25
Weight of umbrella when packaged (kg)	12	14	22	24

## WIND GUIDANCE\*

Installed wind rating (km/h)*	60	60	60	60
Freestanding base rating (km/h)**	30	30	30	30

\*The above wind speed are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed. \*\*Guide only will vary depending on size and weight of base.

## KEY FEATURES



Sleek Black Powdercoat  
Frame Option



Rope & Pin System



Hidden Pulley System



Strong Nylon Connectors

## FRAME FINISH



Anodised

White PC

Black PC

## STANDARD POLYESTER COLOURS



White

Natural

Black

## WARRANTY



3  
YEAR  
FRAME  
WARRANTY



4  
YEAR  
FADE  
WARRANTY



60  
KM / H  
WIND  
RATING

# COMMERCIAL GRADE CENTRE POST UMBRELLA CAFE SERIES

## Price List RRP inc GST

### UMBRELLA SIZE

Cafe Series 2m Square	UNUTCAF20SQANPLxx	\$475
Cafe Series 2.8m Octagonal	UNUTCAF28OCANPLxx	\$595
Cafe Series 3m Square	UNUTCAF30SQANPLxx	\$850
Cafe Series 4.2m Octagonal	UNUTCAF42OCANPLxx	\$1,100

### MADE TO ORDER COLOURS - ACRYLIC

Cafe Series 2m Square	UNUTCAF20SQANACxx	\$775
Cafe Series 2.8m Octagonal	UNUTCAF28OCANACxx	\$950
Cafe Series 3m Square	UNUTCAF30SQANACxx	\$1,400
Cafe Series 4.2m Octagonal	UNUTCAF42OCANACxx	\$1,725
Powder Coat Frame (10 week lead time)		\$80

Made to order lead time is 3-4 weeks

### ACCESSORIES

40/50mm 19kg Freestanding Base (SilverMist Grey)	UNBSFSBxx19SM	\$149
40mm 14kg Freestanding Base (Black)	UNBSFSB4014BK	\$125
50mm 18kg Freestanding Base (Black)	UNBSFSB5018BK	\$145
40mm 30kg Concrete Freestanding Base	UNBSFSB40SMGY	\$179
50mm 45kg Concrete Freestanding Base	UNBSFSB50LGGY	\$249
40mm 35kg Freestanding Heavy Base	UNBSFSB4035BK	\$399
50mm 35kg Freestanding Heavy Base	UNBSFSB5035BK	\$399
SS Wheels for Freestanding Heavy Base	UNBSFSBWHEELSS	\$150
40mm Inground Fitting Kit	UNBSING40MMSS	\$198
50mm Inground Fitting Kit	UNBSING50MMSS	\$198
40mm SS Deck Plate and Spigot	UNBSBDS40KTSS	\$249
50mm SS Deck Plate and Spigot	UNBSBDS50KTSS	\$249
Small Protective Cover (2m Sq & 2.8m Oct)	UNBGOVCAFSMPLBK	\$99
Large Protective Cover (3m Sq & 4.2m Oct)	UNBGOVCAFLGPLBK	\$149
LED Light - Clip On	UNZZLED300LWH	\$99
Sandbag Set of 2 (empty)	UNBSSBGPVC2BK	\$66

### DOWNLOAD GUIDES



Manual



Video

## CAFE SERIES | BRANDED PREMIUM RED STRIPE ACRYLIC



## CAFE SERIES | BRANDED PACIFIC BLUE POLYESTER



# COMMERCIAL GRADE TIMBER UMBRELLA BOARDWALK



## Dimensions

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



**1.9M SQ**



**3.2M HEX**

## CLOSED UMBRELLA

a: Mast height (cm)	254	258
b: Distance from arms to ground (cm)	116	92
Weight of umbrella when folded (kg)	15	19

## OPEN UMBRELLA

c: Width of canopy (cm)	190	320
d: Height to edge of canopy (cm)	186	192
Canopy shade area	3.6m <sup>2</sup>	10.2m <sup>2</sup>

## PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	270 x 21 x 21	
Weight of boxed umbrella (kg)	16	20

## WIND GUIDANCE\*

Installed wind rating (km/h)*	50
-------------------------------	----


## KEY FEATURES



Easy Glide Pulley System



Sustainable Materials



Classic Timber Styling

## FRAME FINISH



Eucalyptus Hardwood

## STANDARD POLYESTER COLOURS



Black



Natural



White

## WARRANTY



# COMMERCIAL GRADE TIMBER UMBRELLA BOARDWALK

## Price List RRP inc GST

### UMBRELLA SIZE

Boardwalk 1.9m Square	\$1,039.50
Boardwalk 3.2m Hexagonal	\$1,347.50

### MADE TO ORDER COLOURS - ACRYLIC

Made-to-Order Non-Standard Colours (Acrylic Canvas)	\$350
Made to order lead time is 3-4 weeks	

### ACCESSORIES

40/50mm 19kg Freestanding Base (SilverMist Grey)	UNBSFSBxx19SM	\$149
40mm 14kg Freestanding Base (Black)	UNBSFSB4014BK	\$125
50mm 18kg Freestanding Base (Black)	UNBSFSB5018BK	\$145
40mm 30kg Concrete Freestanding Base	UNBSFSB40SMGY	\$179
50mm 45kg Concrete Freestanding Base	UNBSFSB50LGGY	\$249
40mm 35kg Freestanding Heavy Base	UNBSFSB4035BK	\$399
50mm 35kg Freestanding Heavy Base	UNBSFSB5035BK	\$399
SS Wheels for Freestanding Heavy Base	UNBSFSBWHEELSS	\$150
40mm Inground Fitting Kit	UNBSING40MMSS	\$198
50mm Inground Fitting Kit	UNBSING50MMSS	\$198
40mm SS Deck Plate and Spigot	UNBSBDS40KTSS	\$249
50mm SS Deck Plate and Spigot	UNBSBDS50KTSS	\$249
Small Protective Cover (2m Sq & 2.8m Oct)	UNBGCOVCAFSMPLBK	\$99
Large Protective Cover (3m Sq & 4.2m Oct)	UNBGCOVCAFLGPLBK	\$149
LED Light - Clip On	UNZZLED300LWH	\$99
Sandbag Set of 2 (Empty)	UNBSSBGPVC2BK	\$66


## BOARDWALK | BLACK POLYESTER



## BOARDWALK | WHITE POLYESTER




# SCOLARO COMMERCIAL CANTILEVER UMBRELLA ASTRO DUAL



## Dimensions

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



## OPEN UMBRELLA

	T 3M SQ	V 3M SQ	T 3.5M SQ
a: Width of canopy (cm)	290	290	350
b: Canopy edge height (cm)	205	225	225
Canopy shade area (cm)	18sqm	18sqm	24.5sqm

## CLOSED UMBRELLA

c: Height (cm)	295	300	310
d: Closed canopy clearance (cm)	90	50	64

## FRAME SPECIFICATIONS

Mast (mm)	110 x 110	110 x 110	110 x 110
-----------	-----------	-----------	-----------

## PACKAGING DIMENSIONS

Box volume	0.45m <sup>3</sup>	0.6m <sup>3</sup>	0.45 <sup>3</sup>
Umbrella (unboxed)	120kg	120kg	125kg

## WIND GUIDANCE\*

Installed wind rating (km/h)*	80	60	50
-------------------------------	----	----	----

## KEY FEATURES



Gas Strut Mechanism



8 Ribs for Reinforcement



100% Acrylic Canvas

## FRAME FINISH



Carbon

## STANDARD ACRYLIC COLOURS

All Astro canopies are made to order from 100% Solution Dyed Premium Acrylic Canvas which is UV-resistant and comes with a 5 year warranty against fading.

Available in over 40+ Acrylic colours.

\*Made to order colours have a longer lead time and minimum quantity applies

## WARRANTY



# SCOLARO COMMERCIAL CANTILEVER UMBRELLA ASTRO DUAL

## Price List RRP inc GST

### UMBRELLA SIZE

Dual T 3m Sq	\$10,998.90
Dual V 3m Sq	\$13,088.90
Dual T 3.5m Sq	\$11,328.90

### ACCESSORIES

Protective covers and installation accessories not included	
65cm x 65cm Base Plate	\$495
Inground Fitting	\$275
Protective Cover	\$330


## ASTRO DUAL | ANTHRACITE GREY ACRYLIC



## ASTRO DUAL | WHITE ACRYLIC




# SCOLARO COMMERCIAL CANTILEVER UMBRELLA ASTRO QUATTRO



## Dimensions

All measurements are rounded and are subject to change. \*The wind speeds are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.



## QUAD 3M SQ

### OPEN UMBRELLA

a: Width of canopy (cm)	290
b: Canopy edge height (cm)	205
Canopy shade area (cm)	36sqm

### CLOSED UMBRELLA

c: Height (cm)	300
d: Closed canopy clearance (cm)	50

### FRAME SPECIFICATIONS

Mast (mm)	110 x 110
-----------	-----------

### PACKAGING DIMENSIONS

Box volume	0.8 <sup>3</sup>
Umbrella (unboxed)	170kg

### WIND GUIDANCE\*

Installed wind rating (km/h)*	60
-------------------------------	----

## KEY FEATURES



Aluminium Construction



8 Ribs for Reinforcement



100% Acrylic Canvas

## FRAME FINISH



Carbon

## STANDARD ACRYLIC COLOURS

All Astro canopies are made to order from 100% Solution Dyed Premium Acrylic Canvas which is UV-resistant and comes with a 5 year warranty against fading.

Available in over 40+ Acrylic colours.

\*Made to order colours have a longer lead time and minimum quantity applies

## WARRANTY



3 YEAR FRAME WARRANTY



5 YEAR FADE WARRANTY



60 KM/H WIND RATING

SCOLARO COMMERCIAL CANTILEVER UMBRELLA  
**ASTRO QUATTRO**

**Price List RRP inc GST**

**UMBRELLA SIZE**

Quattro 3m Sq	\$18,698.90
---------------	-------------

**ACCESSORIES**

Protective covers and installation accessories not included	
65cm x 65cm Base Plate	\$495
Inground Fitting	\$275
Protective Cover	\$330

**ASTRO QUATTRO | ECRU ACRYLIC**



**ASTRO QUATTRO | ECRU ACRYLIC**




# TELESCOPIC UMBRELLA WITH OPTIONAL LED LIGHTS

## NOVA HD



### DIMENSIONS

All measurements are rounded and are subject to change.



### CLOSED UMBRELLA

a: Height (cm)	401	418	419	446	432	432
b: Closed canopy clearance (cm)	189	133	170	92	176	183

### OPENED UMBRELLA

c: Canopy edge height (cm)	231	232	232	232	243	233
d: Height (cm)	285	308	308	316	311	306
e: Height from spigot to winder hole (cm)	105	105	105	105	105	105
f: Umbrella mast diameter (mm)	94					
Canopy shade area	9m <sup>2</sup>	16m <sup>2</sup>	17.6m <sup>2</sup>	25m <sup>2</sup>	8.75m <sup>2</sup>	12m <sup>2</sup>

### PACKAGING DIMENSIONS

Dimensions of cardboard packaging (cm)	420x46x46	460x46x46				
Weight of umbrella when packaged (kg)	100	100	110	115	100	100

### WIND GUIDANCE\*

Installed wind rating (km/h)*	100	90	90	80	100	90
-------------------------------	-----	----	----	----	-----	----

\*The above wind speed are provided as a guide only. Refer to our website and Product Owner Manual provided with the umbrella for more information. The product warranty does not cover wind damage regardless of wind speed.

### KEY FEATURES



Strengthened Extruded Aluminium Mast



Telescopic Crank System



Double Reinforced Joints



Hinged Spigot for Installation

### INTEGRATED LED LIGHTING



Energy efficient LED lighting along with a robust rust proof aluminum Nova HD frame will transform your outdoor dining area into an elegant and inviting space.

- Integrated LED light kit built into the mast and support arms
- Operate via remote control
- Adjustable light brightness
- RGB colour options

### FRAME FINISH



Anodised

\*White PC

\*Bronze PC

\*Black PC

### STANDARD ACRYLIC COLOURS

All Nova HD canopies are made to order from 100% Solution Dyed Premium Acrylic Canvas which is UV-resistant and comes with a 5 year warranty against fading.

Available in over 40+ Acrylic colours or upgrade to 100% waterproof 650GSM welded PVC in 12 different colours.

\* Non-std FRAME FINISHES have a longer lead time and surcharges apply

### WARRANTY



# TELESCOPIC UMBRELLA WITH OPTIONAL LED LIGHTS

## NOVA HD

### PRICE LIST RRP INC GST

#### MADE TO ORDER COLOURS - ACRYLIC\*

Nova 3m Square	UNUTNOV30SQANACxx	\$4,675
Nova 4m Square	UNUTNOV40SQANACxx	\$5,115
Nova 5m Octagonal	UNUTNOV50OCANACxx	\$5,335
Nova 5m Square	UNUTNOV50SQANACxx	\$6,050
Nova 3.5m x 2.5m Offset**	UNUTNOV3424ANACxx	\$4,675
Nova 3m x 4m Rectangle**	UNUTNOV34RTANACxx	\$5,115

\*Made to order canopy lead time is 4-5 weeks \*\*Non-Std frame lead time is 12-16 weeks

#### MADE TO ORDER COLOURS - 650GSM PVC\*

Nova 3m Square	UNUTNOV30SQANPVC	\$4,925
Nova 4m Square	UNUTNOV40SQANPVC	\$5,280
Nova 5m Octagonal	UNUTNOV50OCANPVC	\$5,500
Nova 5m Square	UNUTNOV50SQANPVC	\$6,215
Nova 3.5m x 2.5m Offset**	UNUTNOV3424ANPVC	\$4,925
Nova 3m x 4m Rectangle**	UNUTNOV34RTANPVC	\$5,280

\*Made to order PVC canopy lead time is 8 weeks \*\*Non-Std frame lead time is 12-16 weeks

#### ACCESSORIES

Base Plate 400mm Round	UNBSBDP400RGV	\$215
Base Plate 240mm Square	UNBSBDP240SGV	\$215
Inground Fitting	UNBSING500LGV	\$215
Protective Cover Small (Black only)	UNBGCOVNOVSMPLBK	\$385
Protective Cover Large 5m Sq (Black only)	UNBGCOVNOVLGPLBK	\$385
LED Lighting Kit	UNFRNOVxxxxxx	\$990
Powder Coat Frame**	UNFRNOVxxxxxx	\$330
Gutter PVC (White or Black only)	UNZZGUTNOVxxxx	from \$220

\*\*Non-Std frame lead time is 10-12 weeks

#### DOWNLOAD GUIDES



Manual



LED Manual




Video

#### NOVA HD | PREMIUM WHITE AND PACIFIC BLUE ACRYLIC



#### NOVA HD | CUSTOM BRANDED PREMIUM ACRYLIC





## CUSTOM PRINTING ART SPECIFICATIONS

Investing in custom printed umbrellas boosts brand visibility and takes advantage of the large umbrella surface area, providing ample space for creative and eye-catching designs that make your brand stand out even in crowded environments.



### SCREEN PRINTING

Screen printing is a printing technique where a mesh screen is used to transfer ink onto fabric. One colour is printed at a time, so several screens can be used to produce a multi-coloured image or design. This style of printing is best used for umbrellas that will be in direct sunlight every week.



### DIGITAL PRINTING

Digital printing differs from traditional screen printing as digital printing machines do not require printing screens. Instead of using screens to transfer an image, digital printing prints the image directly onto the fabric. A few advantages of digital printing are its cost-effectiveness as screens are not needed, you can have hundreds of colours in your artwork.



### HEAT TRANSFER VINYL (IN-HOUSE)

Heat transfer vinyl printing is a quick, budget-friendly method for printing logo designs on umbrellas. Unlike screen printing, it requires no expensive setup, making it ideal for short runs. It delivers bold, durable colours that withstand outdoor conditions. Its fast turnaround time makes it perfect for promotional events, brand activations, or customised products.

## LOGO/ ARTWORK PRINTING REQUIREMENTS

### FILE FORMATS

Send your logo in an EPS, AI, or PDF file format. We cannot use JPG or PNG files as they are not in a high enough resolution for large format printing.

### COLOURS

Please specify the Pantone (PMS) colour codes for any colour you want printed. If you do not have the PMS codes, we will match the colour for you.

### FONTS

Please make sure all fonts are outlined to ensure the font appears correctly. If you don't have the font file, please supply the name so we can find a similar one.

### IMAGES

To print photographs, the resolution needs to be at least 300 dpi at 100%; the higher, the better! You can send large files to us via WeTransfer.


**ONCE WE HAVE RECEIVED ALL YOUR ARTWORK, WE WILL CREATE A LAYOUT FOR YOU TO APPROVE. IF YOU WOULD LIKE TO CREATE YOUR OWN LAYOUT YOU MUST USE OUR TEMPLATE.**

\*If you can't supply us Pantone (PMS) colours we will choose the colours and note the colour on the layout but we cannot guarantee the colour will match. \*\*We cannot accept responsibility if any printing errors occur if you have supplied us the layout.

### WHERE CAN I FIND AN EPS, AI OR PDF VERSION OF MY LOGO?

Have you had business cards or t-shirts printed with your company logo? Chances are they would have your logo in the correct format, simply ask if they could send you the file or talk to us about our redraw service.

### SAMPLE LAYOUT FOR PRINTING



**03**


ACCESSORIES

**FREESTANDING BASES**

ACCESSORIES


**FREESTANDING BASE (FSB)**

**19KG FSB 60 X 60CM - 40MM OR 50MM SPIGOT**




Finish: Silver powder coat  
 Weight: 18kg  
 Boxed weight: 19kg  
 Carton size: 65cm x 65cm x 10cm  
 Suit: Cafe Series, Greenwich, Monaco

**30KG CONCRETE FSB 55CMØ - 40MM SS SPIGOT**




Finish: 304 Stainless Steel Spigot, moulded nylon, concrete  
 Weight: 30kg  
 Boxed weight: 32kg  
 Carton size: 70cm x 60cm x 10cm  
 Suit: Cafe Series, Monterey

**18KG FSB EVENT STYLE - 40MM & 50MM SPIGOT**




Finish: Galvanised Steel  
 Feature: Stackable for storage  
 Weight: 18kg  
 Boxed weight: 19kg  
 Carton size: 62cm x 62cm x 3cm (plate)  
 40cm x 15cm x 15cm (spigot)  
 Suit: Cafe Series, Greenwich, Monaco  
 Spigot size: 40mm or 50mm

**45KG CONCRETE FSB 65CMØ - 50MM SS SPIGOT**




Finish: 304 Stainless Steel spigot, moulded nylon, concrete  
 Weight: 45kg  
 Boxed weight: 47kg  
 Carton size: 81cm x 71cm x 10cm  
 Suit: Cafe Series, Greenwich, Monaco

**25KG FSB 50 X 50CM - 40MM SPIGOT**



Finish: Black powder coat  
 Weight: 25kg  
 Boxed weight: 26kg  
 Carton size: 55cm x 55cm x 10cm  
 Suit: Cafe Series, Monterey

**35KG FSB 60 X 60CM - 40MM SPIGOT**




Finish: Zinc plated, powder coat  
 Feature: Optional locking wheels  
 Weight: 35kg Base, 10kg Wheel Set  
 Boxed weight: 47kg  
 Carton size: 72cm x 68cm x 11cm (plate)  
 27cm x 17cm x 15cm (wheel Set)  
 Suit: Cafe Series, Greenwich, Monaco

ACCESSORIES


# FREESTANDING BASE (FSB)

## 35KG FSB 60 X 60CM - 50MM SPIGOT




**Finish:** Zinc plated, powder coat  
**Feature:** Optional locking wheels  
**Weight:** 35kg Base, 10kg Wheel Set  
**Boxed weight:** 47kg  
**Carton size:** 72cm x 68cm x 11cm (plate)  
 27cm x 17cm x 15cm (wheel set)  
**Suit:** Cafe Series, Greenwich, Monaco

## VERSA & ICARUS UX BASE



**Finish:** Zinc plated, steel cover or SIPO Mahogany timber top for SAND version only  
**Feature:** Locking wheels  
**Filled weight:** 200kg (with pavers)  
**Boxed weight:** 32kg (steel base)  
 33kg (sand base)  
**Carton size:** 90cm x 90cm x 18cm  
**Suit:** Versa UX, Icarus UX  
**Note:** Pavers included

## CROSS BASE WITH PAVERS




**Finish:** Black powder coat, concrete  
**Feature:** Non permanent  
**Weight:** 98kg  
**Boxed weight:** 120kg  
**Carton size:** 112cm x 20cm x 8cm (cross base)  
 55cm x 55cm x 15cm (each paver)  
**Suit:** Aurora  
**Note:** Pavers can be doubled stacked for extra weight (recommended for windy locations)

## PRICE LIST INC GST

Flat STD Base 40mm 14kg	UNBSFSB4014BK	\$125.00
Flat STD Base 50mm 18kg	UNBSFSB5018BK	\$145.00
Event Base 40mm	UNBSFSB50EVEN	\$149.00
Flat Heavy Base 40mm 25kg	UNBSFSB4025BK	\$200.00
Wheel Base 40mm 35kg	UNBSFSB4035BK	\$399.00
Wheel Base 50mm 35kg	UNBSFSB5035BK	\$399.00
Wheels for Wheel Base	UNBSFSBWHEELSS	\$150.00
Grey Concrete 40mm 30kg	UNBSFSB40SMGY	\$179.00
Grey Concrete 50mm 45kg	UNBSFSB50LGGY	\$249.00
Cross Base Only	UNBSCRB1080BK	\$249.00
Cross Base pavers (set of 4)	UNBSPVRSET4BK	\$249.00
Freestanding 900 Base with integrated wheels	UNBSFSB900SAN	\$1149
Versa UX Base	UUBSUXBxxx	\$1999.00

## '900' BASE WITH WHEELS



**Finish:** Steel  
**Feature:** Integrated wheels  
**Weight:** 37kg  
**Filled weight:** 160-180kg (when filled)  
**Boxed weight:** 44kg  
**Carton Size:** 103cm W x 24cm H  
**Suit:** Eclipse® all versions, Aurora  
**Note:** Requires crushed rock or gravel fill (not included)


**04**

ACCESSORIES

**INSTALLATION FITTINGS**


# ACCESSORIES INSTALLATION FITTINGS

## CENTRE POST INGROUND (SOCKET & SLEEVE KIT)



**Finish:** Galvanised steel with 304SS lid.  
**Weight:** 5kg  
**Boxed weight:** 6kg  
**Carton size:** 67cm x 15cm x 15cm  
**Suit:** Cafe Series, Monterey, Monaco, Greenwich.


## CANTILEVER EXTENDED INGROUND



**Finish:** Galvanised steel  
**Features:** Adjustable concrete stabilisers  
**Weight:** 16kg  
**Boxed weight:** 17kg  
**Carton size:** 106cm x 25cm x 25cm  
**Suit:** Eclipse® all versions, Aurora


**Note:** Spigot hole distance is 120mm

## CENTRE POST DECK PLATE & SPIGOT



**Finish:** Galvanised steel, 304SS.  
**Spigot size:** 40mm & 50mm  
**Weight:** 5kg  
**Boxed weight:** 6kg  
**Carton size:** 23cm x 23cm x 3cm (plate)  
 36cm x 13cm x 13cm (spigot)  
**Suit:** Cafe Series, Monterey, Monaco, Greenwich.


## CANTILEVER BASE PLATE



**Finish:** 316SS, Silvermist PC, Black PC  
**Weight:** 7kg  
**Boxed weight:** 8kg  
**Carton size:** 33cm x 33cm x 3cm  
**Suit:** Eclipse® all versions, Aurora

**Note:** Installation hole distance is 220mm  
 Spigot hole distance is 120mm


## CANTILEVER STANDARD INGROUND



**Finish:** Galvanised steel  
**Weight:** 6kg  
**Boxed weight:** 7kg  
**Carton size:** 40cm x 25cm x 25cm  
**Suit:** Eclipse® all versions, Aurora

**Note:** Spigot hole distance is 120mm

## NOVA HD INGROUND




**Finish:** Galvanised steel  
**Weight:** 8kg  
**Boxed weight:** 9kg  
**Carton size:** 56cm x 25cm x 25cm  
**Suit:** Nova HD & Nova LED

**Note:** Spigot hole distance is 130mm


# ACCESSORIES INSTALLATION FITTINGS

## NOVA HD BASE PLATE



**Finish:** Galvanised steel  
**Weight:** 12kg  
**Boxed weight:** 13kg  
**Carton size:** 41cm x 41cm x 3cm  
**Suit:** Nova HD & Nova LED  
**Note:** Installation hole distance is 175mm. Spigot hole distance is 130mm.

## PARAFLEX POST INGROUND SPIGOT




**Finish:** Galvanised steel  
**Weight:** 4kg  
**Boxed weight:** 5kg  
**Carton size:** 90cm x 17cm x 10cm  
**Suit:** Paraflex & Paraflex UX

## BARREL SPACER 30CM



**Finish:** Zinc plated, Silvermist PC  
**Weight:** 15kg  
**Boxed weight:** 16kg  
**Carton size:** 39cm x 25cm x 25cm  
**Suit:** Eclipse® all versions, Aurora  
**Note:** Spigot hole distance is 120mm

## PARAFLEX POST BOLT DOWN SPIGOT




**Finish:** Galvanised steel  
**Weight:** 4kg  
**Boxed weight:** 5kg  
**Carton size:** 55cm x 23cm x 23cm  
**Suit:** Paraflex & Paraflex UX  
**Note:** Installation hole distance is 130mm

## BARREL SPACER 50CM



**Finish:** Zinc plated, Silvermist PC  
**Weight:** 21kg  
**Boxed weight:** 23kg  
**Carton size:** 57cm x 25cm x 25cm  
**Suit:** Eclipse® all versions, Aurora  
**Note:** Spigot hole distance is 120mm


## VERSA UX INGROUND



**Finish:** Galvanised steel  
**Weight:** 6kg  
**Boxed weight:** 7kg  
**Carton size:** 55cm x 13cm x 23cm  
**Suit:** Versa UX

# ACCESSORIES INSTALLATION FITTINGS

## VERSA & ICARUS UX BOLT DOWN SPIGOT FOR TIMBER DECKING




- Finish: Galvanised steel  
 Weight: 11kg  
 Boxed weight: 12kg  
 Carton size: 55cm x 30cm x 30cm  
 Suit: Versa UX

*Installing an umbrella can sometimes be a bit challenging, but don't worry—we've got you covered. To help simplify the process, we've put together a series of step-by-step videos. These guides are designed to walk you through each part of the installation, making it easier and more straightforward. With our helpful tips, you'll have your umbrella set up in no time!*




## TIMBER DECKING INSTALLATION KIT - STAINLESS STEEL




- Finish: 316 Stainless Steel Base Plate  
 Weight: 9kg  
 Boxed weight: 11kg  
 Suit: Eclipse® all versions, Aurora  
 Includes:
  - 4x Counter Sunk 304 SS M10x150mm Bolts
  - 4x Nyloc Nut 304 SS
  - 4x Washer Gal M10x50x50x3mm

## TIMBER DECKING INSTALLATION KIT - GREY PC




- Finish: Galvanised Silvermist PC Base  
 Weight: 8kg  
 Boxed weight: 10kg  
 Suit: Eclipse® all versions, Aurora  
 Includes:
  - 4x Counter Sunk 304 SS M10x150mm Bolts
  - 4x Nyloc Nut 304 SS
  - 4x Washer Gal M10x50x50x3mm

## CONCRETE INSTALLATION KIT - STAINLESS STEEL



- Finish: 316 Stainless Steel Base Plate  
 Weight: 9kg  
 Boxed weight: 11kg  
 Suit: Eclipse® all versions, Aurora  
 Includes:
  - 316 Stainless Steel Base Plate
  - 4x Counter Sunk 316 SS Screw M10x120mm
  - 1x Impax Power Bit

## CONCRETE INSTALLATION KIT - GREY PC




- Finish: Galvanised Silvermist PC Base  
 Weight: 8kg  
 Boxed weight: 10kg  
 Suit: Eclipse® all versions, Aurora  
 Includes:
  - 316 Stainless Steel Base Plate
  - 4x Counter Sunk 316 SS Screw M10x120mm
  - 1x Impax Power Bit

# ACCESSORIES


## INSTALLATION FITTINGS

### TIMBER DECKING INSTALLATION FITTINGS



- Weight:** 1kg  
**Boxed weight:** 1.5kg  
**Suit:** Eclipse® all versions, Aurora, Versa UX, Nova HD, Nova LED
- Includes:**
- 4x Counter Sunk 304 SS M10x150mm Bolts
  - 4x Nyloc Nut 304 SS
  - 4x Washer Gal M10x50x50x3mm
- Note:** Extra 2pcs of all fittings are required for Nova HD and Nova LED installations.

### CONCRETE INSTALLATION FITTINGS



- Weight:** 1kg  
**Boxed weight:** 1.5kg  
**Suit:** Eclipse® all versions, Aurora, Versa UX, Nova HD, Nova LED
- Includes:**
- 4x Counter Sunk 316 SS Screw M10x120mm
  - 1x Impax Power Bit
- Note:** Extra two M10 counter sunk screws are required for Nova HD and Nova LED installations.

### PARAFLEX INSTALL KIT



- Weight:** 1kg  
**Boxed weight:** 1.5kg  
**Suit:** Paraflex Wall Mount
- Includes:**
- 2x Domed SS Hex Nuts
  - 2x M10 x 100 Threaded Rod
  - 4x SS Flat washer
  - 1x Tube Soudal Chemical Anchor
- Note:** Can be applied with a standard caulking gun and cures fast. Read instructions before installation.

### PRICE LIST INC GST

Centre Post Inground Kit 40mm	UNBSING40MMSS	\$198
Centre Post Inground Kit 50mm	UNBSING50MMSS	\$198
Bolt Down Deck Plate Kit 40mm	UNBSBDS40KTSS	\$249
Bolt Down Deck Plate Kit 50mm	UNBSBDS50KTSS	\$249
Cantilever Inground	UNBSING350LGV	\$175
Cantilever Extended Inground	UNBSING100GV	\$275
Cantilever Base Plate Grey PC	UNBSBDP315RGY	\$175
Cantilever Base Plate SS	UNBSBDP315RSS	\$349
Nova HD Base Plate	UNBSBDP400RGV	\$215
Nova HD Inground	UNBSING500LGV	\$215
Barrel Spacer 30cm	UNBSBRL300HGY	\$220
Barrel Spacer 50cm	UNBSBRL500HGY	\$270
Paraflex Post Inground (inc Spigot)	UUBSING	\$275
Paraflex Post Bolt Down Spigot	UUBSSPGPFX	\$199
Versa UX Inground	UUBSINGVERGV	\$249
Versa UX Bolt Down Spigot	UUBSSPGVER	\$249
Timber Decking Installation Kit (inc. <b>SS</b> Base)	ZZINSKITDECKSS	\$399
Concrete Installation Kit (inc. <b>SS</b> Base)	ZZINSKITCONCRETESS	\$448
Timber Decking Installation Kit (inc. <b>PC</b> Base)	ZZINSKITDECKPC	\$225
Concrete Installation Kit (inc. <b>PC</b> Base)	ZZINSKITCONCRETEPC	\$274
Timber Decking Installation Fittings	ZZBOLTDECKSETSS	\$50
Concrete Installation Fittings	ZZBOLTCONSETSS	\$99
Paraflex Install Kit	ZZINSKITPFXWALSS	\$66




**05**

OPTIONAL  
**ACCESSORIES**


# OPTIONAL ACCESSORIES

## ETNA LED LIGHT WITH REMOTE




**Feature:** Remote, magnetised base, with a wireless charging dock.  
**Weight:** 2kg  
**Boxed weight:** 3kg  
**Carton size:** 35cm x 23cm x 15cm  
**Suit:** Eclipse® v4, Aurora, Nova HD, Greenwich, Monaco

## PVC SANDBAGS - SET OF TWO




**Feature:** Grey PVC, supplied filled or empty. Handle for easy carrying.  
**Weight:** 32kg (set 2 filled)  
**Boxed weight:** 2kg (set of 2 empty)  
**Carton size:** 40cm x 40cm x 25cm  
**Suit:** Cafe Series, Monterey, Monaco, Greenwich.

## CLIP ON LED LIGHTS




**Feature:** USB Charger  
**Weight:** <1kg  
**Boxed weight:** 1kg  
**Carton size:** 35cm x 10cm x 10cm  
**Suit:** All products, excluding the Paraflex range.

## 5KG WEIGHT BAG




**Feature:** Black PVC, shot pellets, handle  
**Weight:** 5kg  
**Boxed weight:** 6kg  
**Carton size:** 40cm x 40cm x 10cm  
**Suit:** Multipurpose

## STABILISER BARS



**Finish:** Fibreglass with nylon fittings  
**V4:** Aluminium  
**Weight:** 2kg, Boxed weight 3kg  
**Carton size:** Packed with umbrella  
**Aurora:** **2.8m**      **3.5m**  
                   A: 154cm      A: 140cm  
**Eclipse®** **3m & 4m**    **3x4m**  
                   A: 166cm      A: 212cm  
**3.5m SQ**  
                   A: 182cm  
**Eclipse® V4** **Suit all sizes (extendable)**  
                   Shortest Length: 122cm  
                   Longest Length: 210cm


## 10KG WEIGHT BAG



**Feature:** Black PVC, shot pellets, handle  
**Weight:** 10kg  
**Boxed weight:** 11kg  
**Carton size:** 40cm x 40cm x 10cm  
**Suit:** Multipurpose

# OPTIONAL ACCESSORIES

## CAFE SERIES PROTECTIVE COVER




**Small to suit:** A: 165cm  
2m Sq & 2.8m B: 29øcm  
Oct C: 35øcm  
**Weight:** 2kg

**Large to suit:** A: 225cm  
3m Sq & 4.2m B: 30øcm  
Oct C: 45øcm

**Weight:** 3kg

## MONACO PROTECTIVE COVER




**Small to suit:** A: 190cm  
2.5m Sq & B: 20øcm  
3.5m Oct C: 45øcm  
**Weight:** 2kg

**Large to suit:** A: 230cm  
3m Sq B: 20øcm  
C: 45øcm

**Weight:** 2.5kg

## CAFE SERIES CARRY COVERS




**Small to suit:** A: 165cm  
2m Sq & 2.8m B: 23øcm  
Oct C: 30øcm  
**Weight:** 1kg

**Large to suit:** A: 230cm  
3m Sq & 4.2m B: 27øcm  
Oct C: 35øcm

**Weight:** 1.5kg

## GREENWICH PROTECTIVE COVER




**Small to suit:** A: 196cm  
2m Sq & 3.2m B: 23øcm  
Oct C: 40øcm  
**Weight:** 3kg

**Large to suit:** A: 253cm  
3m Sq & B: 25øcm  
2.5x3.4m Rect C: 45øcm

**Weight:** 3.5kg

## MONTEREY PROTECTIVE COVER



**Small to suit:** A: 156cm  
2.7m Oct B: 17øcm  
C: 30øcm  
**Weight:** 2kg

## ECLIPSE / AURORA PROTECTIVE COVER




**Small to suit:** A: 230cm  
3m Sq & 4m B: 55øcm  
Oct C: 45øcm  
**Weight:** 4kg

**Large to suit:** A: 265cm  
3.5m Sq, B: 55øcm  
3x4m Rect C: 45øcm

**Weight:** 5kg

# OPTIONAL ACCESSORIES

## PARAFLEX PROTECTIVE COVER



**Small to suit:** A: 151cm  
 1.9m Sq & B: 150cm  
 2.7m Hex C: 350cm  
**Weight:** 2kg

**Large to suit:** A: 225cm  
 3m Hex B: 300cm  
 C: 450cm


**Weight:** 3kg

**X Large to suit:** A: 190cm  
 B: 180cm  
 2.3m Sq PFX C: 400cm  
 UX  
**Weight:** 2kg

## PRICE LIST INC GST

Cafe Series Protective Cover Small	UNBGCOVCAFSMPLBK	\$99
Cafe Series Protective Cover Large	UNBGCOVCAFLGPLBK	\$149
Cafe Series Carry Cover Small	UNBGCARCAFSMPLBK	\$65
Cafe Series Carry Cover Large	UNBGCARCAFLGPLBK	\$95
Monterey Protective Cover	UNBGCOVMTYSMACxx	\$149
Monaco Protective Cover Small	UNBGCOVMONSMACxx	\$199
Monaco Protective Cover Large	UNBGCOVMONLGACxx	\$199
Greenwich Protective Cover Small	UNBGCOVGRESMACxx	\$199
Greenwich Protective Cover Large	UNBGCOVGRELGACxx	\$199
Eclipse® v2 / Aurora Protective Cover Small	UNBGCOVEASMACxx	\$299
Eclipse® v2 Protective Cover Large	UNBGCOVEALGACxx	\$299
Paraflex Protective Cover Small	UUBGCOVPFXSMACxx	\$149
Paraflex Protective Cover Large	UUBGCOVPFXLGACxx	\$149
Paraflex UX Protective Cover X Large	UUBGCOVPFXLACBK	\$159
Nova Protective Cover Small	UNBGCOVNOVSMPLBK	\$385
Nova Protective Cover Large	UNBGCOVNOVLGPLBK	\$385


## NOVA HD PROTECTIVE COVER



**Small to suit:** A: 305cm  
 3m & 4m Sq & B: 450cm  
 5m Oct C: 1000cm  
**Weight:** 10kg

**Large to suit:** A: 360cm  
 5m Sq B: 450cm  
 C: 1450cm

**Weight:** 12kg




06

USEFUL  
**INFORMATION**



## WHAT IS IT THAT SETS US APART FROM OUR COMPETITORS?

*We are the Industry leaders in the outdoor shade space, with our commitment to providing unmatched fade warranty on our fabrics ... we're woven differently!*



### POLYESTER CANVAS | COMMERCIAL GRADE



WHITE



NATURAL



BLACK

### OLEFIN CANVAS | TEXSILK BY ETISILK



NATURAL | 0117



SLATE | 0127



SMOKED TWEED | 0770

### ACRYLIC CANVAS | RECACRIL BY RECASENS



YELLOW STRIPE | R55



ORANGE STRIPE | R5



RED STRIPE | R12



TURQUOISE STRIPE | R11



TEAL STRIPE | R14



BLUE STRIPE | R16



NAVY STRIPE | R65



BLACK STRIPE | R17


### ACRYLIC CANVAS 8CM STRIPE REPEAT



**PREMIUM ACRYLIC CANVAS | RECACRIL BY RECASENS**



**PVC | COMMERCIAL GRADE (SUIT NOVA HD ONLY)**



**40+ COLOUR FABRICS  
WORLD RENOWNED  
OUTDOOR FABRICS**


*Solution-dyed fabric stands out as a top choice in the market due to its superior colourfastness and durability.*

Our Premium Acrylic Canvas is used as standard for our top-of-the-range umbrellas and is available as an upgrade option for our entry-level range. Recacril® is a 100% solution dyed marine grade acrylic fabric that is manufactured with the highest quality raw materials and undergoes rigorous quality-assurance tests. It has an outer surface finish treated with the Infinity Process which makes the fabric water resistant. Unlike some competitors that use a "cushion-grade" canvas used for outdoor furniture, we use a 305GSM "awning-grade" weight that is normally used for folding arm awnings and marine applications. It is made in Spain.


Olefin Canvas is used as standard for our entry-level range. TEXSILK is made of a hydrophobic material that will not absorb humidity, therefore stains and dirt can remain in the gaps between the yarns but will not penetrate them. The weight is a robust 250GSM. TEXSILK is Eco-friendly and is 100% recyclable so if you ever replace your umbrella canvas you can place the old one in your curbside recycling bin. It is made in Spain.

Our Polyester Canvas is used as standard for our Café Series Commercial Range. The weight is 240GSM and the PU underside coating makes it water-repellant and UV-resistant. It features great colour-fastness and durability at a value price-point.

Please note colours are a guide only, please refer to our swatch book for accuracy.



# ECLIPSE® & AURORA TILT MEASUREMENTS



## ECLIPSE® V4 TILT MEASUREMENTS

	3m Sq	4m Oct	3.5m Sq	3m x 4m Rect
a:	1170mm	1030mm	1080mm	1300mm
b:	3800mm	4450mm	3710mm	3890mm
c:	1650mm	1585mm	1570mm	1730mm
d:	2730mm	2885mm	2620mm	2680mm
e:	2130mm	2140mm	2060mm	2160mm
f:	2130mm	2140mm	2060mm	2160mm


## AURORA TILT MEASUREMENTS

	2.8m Sq	3.5m Oct
a:	1310mm	1180mm
b:	3950mm	3990mm
c:	1680mm	1645mm
d:	2590mm	2770mm
e:	2050mm	2110mm
f:	2050mm	2110mm




Measurement A, has been taken from under the slider car. Measurement B, has been taken from under the canopy. All measurements are intended to be used as a guide only. You need to consider factors like, uneven surface etc.

# PARAFLEX USER INSTRUCTIONS



## PARAFLEX WALL INSTALLATION



\*Dyna Bolts supplied for solid brick or concrete wall. Other fixings are not included.




## GUIDELINES FOR POOL INSTALLATION

As per AS/NZS 3000:2018, clause 5.6.2.6.2, where the pool structure is conductive, (concrete pools are considered to be conductive) all conductive parts that are directly or indirectly in contact with the ground and that are within arm's reach (1.25 metres from the inside edge of the pool) are required to be bonded to earth. This means that an installed umbrella will need to be bonded to the earth. A licensed electrician is required to carry out this bonding and it may be difficult to retrofit bonding to an existing pool.

In the case of a fibreglass pool, where there are exposed conductive parts of electrical equipment within the pool zone (3.5 metres) or exposed parts of electrical equipment in contact with the pool water, then bonding of conductive fixtures and fittings within arm's reach of a fibreglass pool is also required. The easiest solution to this is to install the umbrella more than 1.25m away from the pool edge.

A non-climbable zone should be maintained around pool fencing as per the diagram on the right. The umbrella should not be installed within this non-climbable zone as it may be considered a "climbable object".

If a professional has installed an umbrella on your behalf and it isn't to the correct specifications, you may be forced to remove the umbrella and re-install according to local government regulations. This would only occur in the instance where your pool area was inspected by local authorities.



## DOWNLOAD INSTALLATION GUIDES

QR codes provide a convenient way to access our installation guides. Simply scan the QR code with your smartphone or tablet to instantly view detailed instructions and helpful videos.



BASE PLATE ON DECKING



BASE PLATE ON CONCRETE



AURORA CROSS BASE



INSTALLATION HARDWARE



CANTILEVER BASE GUIDE



CANTILEVER INGROUND GUIDE



POOL INSTALLATION



PARAFLEX WALL MOUNT

# BEAUFORT SCALE WIND SPEED EXPLAINED

The Beaufort Scale or Beaufort Wind Force Scale is a system for estimating wind strengths without the use of instruments. This is a useful tool in estimating the wind characteristics over a large area, and it may be used to measure and describe the effects of different wind velocities on objects on land.


BFT NO	CATEGORY	WIND KM/H	LAND CONDITIONS
0	Calm	<1 km/h	Smoke rises vertically.
1	Light Air	1-5 km/h	Wind visible in smoke.
2	Light Breeze	6-11 km/h	Leaves rustle. Wind felt on face.
3	Gentle Breeze	12-19 km/h	Leaves & twigs in constant motion.
4	Moderate Breeze	20-28 km/h	Dust & loose paper raise. Small branches begin to move.
5	Fresh Breeze	29-38 km/h	Branches of moderate size move. Small trees begin to sway.
6	Strong Breeze	39-49 km/h	Large branches in motion. Whistling heard in overhead wires. Umbrella use becomes difficult.
7	Near Gale	50-61 km/h	Whole trees in motion. Inconvenience felt walking against the wind.
8	Gale	62-74 km/h	Twigs break on trees.
9	Strong Gale	75-88 km/h	Some branches break. Some small trees blow over.
10	Storm	89-102 km/h	Tree uprooted. Considerable structural damage occurs.
11	Violent Storm	103-117 km/h	Widespread vegetation damage. Roofing surfaces damaged.
12	Hurricane	>118 km/h	Windows may break. Sheds damaged. Debris may be hurled about.



# PRODUCT STRENGTH ACCORDING TO BEAUFORT SCALE


Model	Size	Beaufort Number
Cafe Series	All sizes	Installed: 4 - 7 Freestanding Base: 3 - 4
Monterey	All sizes	Installed: 4 - 6 Freestanding Base: 3 - 4
Monaco	All sizes	Installed: 4 - 7 Freestanding Base: 3 - 4
Greenwich	All Sizes	Installed: 4 - 7 Freestanding Base: 3 - 4
Paraflex & Paraflex UX	All Sizes	Installed: 3 - 6 Freestanding Base: 3 - 4
Aurora	All Sizes	Installed: 4 - 6 Freestanding Base: 3 - 4
Eclipse®	3m Sq & 4m Oct	Installed: 4 - 7 Freestanding Base: 3 - 4
Eclipse®	3.5m Sq & 3x4 Rect	Installed: 4 - 6 Freestanding Base: N/A
Versa UX	3m Sq	Installed: 4 - 7 Freestanding Base: 3 - 4
Nova HD	3m Sq & Offset	Installed: 5 - 10 Freestanding Base: N/A
Nova HD	4m Sq & 5m Sq	Installed: 5 - 9 Freestanding Base: N/A
Nova HD	5m Oct	Installed: 5 - 9 Freestanding Base: N/A

## CANTILEVER UMBRELLA




For all cantilever umbrellas we advise to position the arm in the direction of the wind (1). Tilt knob to be engaged in hole if applicable (2). Umbrella canopy to be horizontal. When closing the umbrella, the strap and protection cover need to be correctly used. Failure in doing so can cause damage even in a closed position.

## WALL MOUNT UMBRELLA




For the Paraflex wall mount we advise to position the arm in the direction of the wind (1). Completely stretch out the arm (2). Umbrella canopy to be horizontal (3). When closing the umbrella, the strap and protection cover need to be correctly used. Failure in doing so can cause damage even in a closed position.

## VERSA UX UMBRELLA




For Versa UX, we advise to position the umbrella in the direction of the wind (1). Put the arm in a 10° angle (2) and put the umbrella on a flat surface. When closing the umbrella, the strap and protection cover need to be correctly used. Failure in doing so can cause damage even in a closed position.

## MONTEREY UMBRELLA




Avoid wind from below (1). Put full tension on the canopy (2). Umbrella canopy is to be horizontal (3). Put the umbrella on a flat surface. When closing the umbrella, the strap and protection cover need to be correctly used. Failure in doing so can cause damage even in a closed position.

## PATIO/ MARKET UMBRELLAS



For our patio/market range, we advise to avoid wind from below (1), to put full tension on the canopy (2) and put the umbrella on a flat surface. When closing the umbrella, the strap is to be correctly used. Failure in doing so can cause damage even in a closed position.

## NOVA HD



The Nova HD, we advise to avoid wind from below (1), and to put full tension on the canopy (2). When closing the umbrella, the strap or halo ring is to be correctly used. Failure in doing so can cause damage even in a closed position.



## CARE AND MAINTENANCE CLEANING GUIDE

*Cleaning should be carried out on a bi-monthly basis to keep the umbrella canopy looking its best. The umbrella canopy can be left on the umbrella frame or remove the canopy from the frame and lay it down on a clean surface for more thorough cleaning. Never store your umbrella away or use the protective cover while the canopy is still wet as mould and mildew may develop.*

### HANDY TIPS!

- Only use cold water
- Always air-dry fabrics and never use an electric dryer
- Protect the area where you're washing the umbrella canopy as the bleach solution may discolour the umbrella frame, plastic parts, bases or other items nearby
- Bleach may deteriorate other items such as sewing thread, do not use if the canopy is 5+ years old
- Protect the environment when using bleach, avoid cleaning near bodies of water and wildlife

### LIGHT OR GENERAL CLEANING

To clean the umbrella fabric while the canopy is still on the frame, follow these simple steps:

- Use a brush to remove any dust, loose dirt or bird droppings
- Hose down fabric
- Mix up a bleach
- Free soap cleaning solution (eg. dish-washing liquid) in a bucket
- Use a soft bristle brush to scrub the canvas, never use hard bristles as this can damage the fabric
- Rinse thoroughly with fresh water until all the cleaning solution is removed
- Allow the canopy to completely air-dry

### INTENSIVE CLEANING FOR STUBBORN STAINS AND MILDEW

Our fabrics have some resistance to mildew, mould and fungus but if allowed to grow it can still develop. Use this cleaning method only as a last resort and apply with care.

- Prepare a solution of 4 liters of water to 1 cup of bleach and mix well
- Allow the mixture to soak into the fabric for 10 minutes
- Blot the fabric with a cloth or sponge in heavily stained spots
- Rinse several times with fresh water until all the cleaning solution is removed
- Allow the canopy to completely air-dry

*Note: Do not use the above method for printed umbrella canopies as it may destroy the colour pigments in the print.*

## STAIN TABLE STAIN TYPE

*Below is a list of stains and the recommended cleaning solutions. This table contains our recommended cleaning methods for our marine fabrics and common stains. For best results, stains should be cleaned as soon as they occur. Set-in stains may require professional cleaning. After cleaning with the below solutions, always rinse fabric thoroughly and air dry.*

STAIN	CLEANING SOLUTIONS
Berry	Combine 1/4 cup dishwashing liquid and 1/2 cup - 1 cup white vinegar per 4 litres water.
Bird droppings, tea, coffee, juice, mustard	Combine 1/4 cup dishwashing liquid per 4 litres water.
Beer, vomit	Combine 1/4 cup dishwashing liquid and 1/3 cup white vinegar per 4 litres water.
Tree sap, butter, oil/ grease, sunscreen	Apply cornstarch as an absorbent, remove excess with a straight edge, clean up residual with dishwashing liquid and water.
Blood (dried)	Combine 1/4 cup dishwashing liquid and 1/2 cup - 1 cup ammonia per 4 litres of water.
Chewing gum	Treat with isopropyl alcohol. Then clean with 1/4 cup dishwashing liquid per 4 litres water.
Chocolate	Combine 1/4 cup dishwashing liquid and 1/2 cup hydrogen peroxide per 4 litres water.
Ink	Treat with volatile solvent (acetone 100%). Then clean with soap and water and rinse thoroughly.
Iron Rust	Treat with CLR® and rinse thoroughly.
Mold or mildew	Combine 1/4 cup dishwashing liquid and 1 cup bleach per 4 litres water.
Wax	Apply heated iron over towel. Treat with isopropyl alcohol. Then clean with 1/4 cup dishwashing liquid per 4 litres water.
Wine	Combine 1/4 cup dishwashing liquid, 1/3 cup white vinegar and 1/2 cup - 1 cup isopropyl alcohol or hydrogen peroxide per 4 litres water.



# PLEASE READ CAREFULLY

## TERMS AND CONDITIONS

### LEAD TIMES



For ex-stock items we aim to have orders dispatched from our Melbourne warehouse within 3-5 working days from the order date. For larger volume palletised orders please allow up to two weeks. Made to order items will have a longer lead time and will depend on the item being produced, but generally lead time is approx. 4-6 weeks. Certain non-standard sizes or custom powder-coat finishes that need to be shipped by sea will have a longer lead time of 8-12 weeks depending on the time of year. These lead times don't include transit time from our warehouse to your store/ customer.

### MADE TO ORDER



If you have ordered a custom made to order item, you will be advised of the lead time based on the product/s and volume ordered. A 50% deposit is required to commence production. Once in production changes cannot be made to your order. If you cancel the order, you will forfeit your deposit.

### EX-STOCK RETURNS



All requests for return of stock must be made within 14 days of receipt. Returns will not be accepted without written consent from Instant Shade. Returns will only be accepted for unopened, unused items that are in 100% resalable condition. When requesting a stock return you must include the below information:

- Instant Shade Invoice or Sales Order number
- Reason for the return
- Is the return a store credit, full refund or swap over for another product
- Will you return the product or book return on Instant Shade freight account (charges apply).
- A re-stocking fee may apply

### MADE TO ORDER (CUSTOM) RETURNS



Custom made items are manufactured to the customers specifications and therefore returns cannot be accepted. Along with no cancellations, once an order has been placed no changes or holds will be accepted for any order which materials have been ordered or produced. Please note: Nova HD canopies are made to order and are not eligible for return.

### CANCELLATIONS



Cancellations and/ or changes on custom order products, must be made directly to the sales person who took your order, if production has commenced you will forfeit your deposit. For ex-stock items, if the order is in our warehouse and hasn't been collected by a freight carrier, you can cancel your order with no penalty.

### BACK ORDERS



Occasionally there may be insufficient stock to complete an order, even for ex-stock items. In this case your order will be placed on Backorder and you'll be notified by email of the delay. We will do our best to advise on availability of the out of stock item, but in some circumstance an exact date may not be provided due to factors outside of our control.

### DELIVERY BY INSTANT SHADE



We can arrange for delivery of goods by our own staff in the Melbourne metro area only. We take pride in making sure you get your delivery on time. If we have agreed upon a window for delivery please make sure you are present at the agreed time. If you are unable to be on-site we will rebook your delivery and this will incur an additional delivery charge. If you have opted to have your delivery left in a "safe location", we'll do our best to find a location on the property that is concealed from the street. Instant Shade takes no responsibility if items are stolen or damaged.

### DELIVERY BY THIRD PARTIES (FREIGHT CARRIERS)



Most of our orders are sent by FedEx/ TNT as they have an extensive network and good tracking. However, they prefer deliveries to commercial addresses. FedEx/ TNT can deliver to a residential address, but add high surcharges, please try to avoid delivery to residential addresses.

We will use a bulk freight carrier for palletised orders, a slightly slower service but more cost-effective. Note that a forklift is always required to unload pallet orders. The drivers will not assist with hand unloading a pallet due to OH&S.

If you decide to book freight with your carrier, we will contact you when your order is ready with the measurements for the freight documents to be sent to us. You are responsible for the order to be collected promptly.

If you have opted to have your delivery left in a "safe location", Instant Shade takes no responsibility if items are stolen or damaged.

If we incur additional charges from any freight carrier, due to incorrect delivery address, customer not at the location at the time of delivery, or no forklift, we will pass on these additional fees.

### VISIBLE DAMAGE



If the shipment is made using our carrier and account, it is the customer's responsibility to check the cartons and note any damage on the carrier's paperwork before signing and accepting the goods. Please also take photos of the damage before opening any packaging. Please note: Instant Shade will not be liable for damage sustained in transit. Transit insurance is not included but can be arranged at additional cost.

### CONCEALED DAMAGE



If damage is discovered when unpacking your order, please notify our office immediately and take detailed photos of the damage. Do not use the damaged item or discard the packaging until the photos of the damage have been provided and accepted by Instant Shade as they may need to be returned for repair or replacement. It is the Customer's responsibility to notify Instant Shade immediately and to provide all proper documentation so that a claim can be filed.



## RESIDENTIAL & COMMERCIAL WARRANTY

### THREE YEAR WARRANTY

#### FRAME WARRANTY

- Monaco, Cafe Series, Greenwich, Paraflex Evolution model, Paraflex UX, Aurora, Eclipse® (v2 model), Nova HD and Versa UX

### FIVE YEAR WARRANTY

#### FRAME WARRANTY

- Eclipse (v4 model) and Greenwich

### ONE YEAR WARRANTY

#### CANVAS WARRANTY

- Printed umbrellas - Warranty applies to fading of printing

### TWO YEAR WARRANTY

#### CANVAS WARRANTY

- Applies to Texsilks Olefin

### THREE YEAR WARRANTY

#### CANVAS WARRANTY

- PVC (vinyl) - Nova HD umbrella

### FIVE YEAR WARRANTY

#### CANVAS WARRANTY

- Acrylic - Applies to the Sunbrella Acrylic used for Umbrosa products (eg. Versa UX)
- Acrylic - Applies to the Recacril by Recasens Acrylic used on products in a COMMERCIAL ENVIRONMENT: eg. Nova, Cafe Series, Eclipse®, Greenwich, Paraflex UX, and as a custom Non-Standard fabric on selected other products

### TEN YEAR WARRANTY

#### CANVAS WARRANTY

- Acrylic - Applies to the Recacril by Recasens Acrylic used on products in a RESIDENTIAL ENVIRONMENT: eg. Nova, Cafe Series, Eclipse®, Greenwich, Paraflex UX, and as a custom Non-Standard fabric on selected other products

## WARRANTY GENERAL TERMS

1. The warranty applies to the original purchaser only. Proof of purchase must be provided.
2. In the event of your umbrella, base or accessory being replaced or repaired during the warranty period, the warranty on the replacement/repair will expire at the original purchase date.
3. In the case of repairs to the umbrella being required (regardless of whether the repairs are covered under warranty) the warranty covers the provision of replacement parts only. The cost of labour to install the replacement parts, or transportation to/from Instant Shade Umbrellas for any repairs is to be paid by the claimant.
4. This warranty is the only express warranty given by Instant Shade Umbrellas. No person has the authority to change or add to these obligations and liabilities without Instant Shade Umbrellas approval in writing.
5. Instant Shade Umbrellas reserves the right to determine whether or not fault is caused by faulty workmanship or material or that any part is defective, and should a warrantable fault be determined, we will refinish, repair or replace any part or product at its own discretion.

### ONE YEAR WARRANTY

#### MISCELLANEOUS

- Nylon fittings
- Velcro
- Zippers
- Small hardware (bolts, screws etc)
- Accessories

## PLEASE READ CAREFULLY

# FRAME WARRANTY CONDITIONS

1. The warranty covers manufacturer's faults and defects only.
2. The frame warranty covers the umbrella frame and mechanics and internal components. It does not include accessories such as installation fittings.
3. The warranty does not cover damage caused by wind or adverse weather conditions, fair wear and tear, accidents, misuse, fire, flood, hail, earthquakes or other natural disasters, or alterations or repairs by any other than an authorised agent of Instant Shade Umbrellas.
4. The warranty for all Powder Coat finishes is one (1) year. This warranty includes peeling, flaking, bubbling and significant fading of the powder coating.
5. The warranty for all umbrella bases and installation fittings/accessories is one (1) year. This warranty covers manufacturers defects only.
6. RUST DISCLAIMER: Rust is a natural part of the aging process for steel. Our steel products have rust inhibitors applied but may require maintenance over time. Early signs of rust should be removed and rust proofing agents such as "Gal-Spray" should be applied periodically. The anti-rust warranty for all steel components is one (1) year.
7. The umbrella must be used with a suitable base with a suitable amount of weight applied or be correctly installed with an appropriate installation fitting. If installed, this warranty is valid only for installations made by Instant Shade Umbrellas, or an authorised agent, or if installed by the customer, the installation must be carried out exactly as required in the instructions that are supplied with the umbrella or available on our website.
8. In the case of installations, the owner is to ascertain position of all underground pipes and electrical wires and notify installer of any obstacles. Although all care will be taken, no responsibility can be accepted for any damage during installation.
9. Instant Shade Umbrellas or its authorised agent may offer advice but accepts no responsibility as to the ultimate positioning of the umbrella.
10. For rotating umbrellas, this warranty is valid only if the revolving lock is engaged securely at all times, as shown in the operation guidelines provided.
11. The warranty is valid only if the umbrella is put up and collapsed as per the instructions in the umbrella manual.
12. If the umbrella is to be transported, it must be dismantled and adequately packaged (preferably with canopy and frame wrapped separately) to avoid damage during transit. If damage is incurred as a result of insecure packing, this is outside our warranty provision.
13. Instant Shade Umbrellas or its authorised agent may offer advice but accepts no responsibility as to the ultimate positioning of the umbrella.
14. For rotating umbrellas, this warranty is valid only if the revolving lock is engaged securely at all times, as shown in the operation guidelines provided.
15. The warranty is valid only if the umbrella is put up and collapsed as per the instructions in the umbrella manual.
16. If the umbrella is to be transported, it must be dismantled and adequately packaged (preferably with canopy and frame wrapped separately) to avoid damage during transit. If damage is incurred as a result of insecure packing, this is outside our warranty provision.

## PLEASE READ CAREFULLY

# CANVAS WARRANTY CONDITIONS

1. The canvas warranty is a Limited Manufacturer's Warranty, which is passed on by Instant Shade Umbrellas.
2. The canvas warranty covers the canopy canvas only. It specifically excludes items such as thread, zips, velcro, webbing and binding used in canopy fabrication. The warranty for these items is one (1) year.
3. The canvas warranty covers fading only. This means the canvas will retain a light-fastness rating of 6-8 on a 1-8 scale (e.g. no significant fading) for the duration of the warranty period. Colours utilising Red and Yellow pigment (e.g. Red, Yellow, Orange, Pink, etc.) will retain a light-fastness rating of 5-7 on a 1-8 scale for the duration of the warranty period.
4. The warranty does not apply against any deterioration of any kind due to wind or weather-related damage, misuse, burns, negligence, vandalism, perforations or stains due to environmental pollution, plant or animal substances and fair wear-and-tear.
5. This canvas warranty extends specifically to the replacement of fabric only and excludes the work and installation of others and also excludes other fittings and hardware. Other costs such as re-making a canopy, dismantling, transport, re-erection, traveling costs and consequential loss are excluded from this warranty.
6. If the umbrella is to be transported, it must be dismantled and adequately packaged (preferably with canopy and frame wrapped separately) to avoid damage during transit. If canvas damage is incurred as a result of insecure packing, this is outside our warranty provision.
7. When closing the umbrella for extended periods of time, the canopy must be folded in such a way as to avoid "pinching" of the canvas in the umbrella ribs/arms. Wear and tear caused by "pinching" of the fabric by the umbrella framework is not covered under warranty.
8. Proper care and cleaning should be taken to ensure the life of outdoor fabrics. For regular care and maintenance, excessive dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 100°F/ 40°C) and air-dried. Periodically the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water then apply a gentle natural soap, rinse thoroughly and air-dry.
9. The canvas should never be stored or stowed while wet, always ensure fabric is thoroughly dried before storing for extended periods.
10. Any early signs of mould and mildew must be removed immediately.
11. Improper care, improper cleaning methods, cleaning materials not recommended by Instant Shade Umbrellas.



INSTANT SHADE  
UMBRELLAS

90-98 Woodlands Drive, Braeside, VIC, 3195

**Phone:** 03 9915 3599 **Email:** [info@instantshadeumbrellas.com.au](mailto:info@instantshadeumbrellas.com.au) **Web:** [www.instantshadeumbrellas.com.au](http://www.instantshadeumbrellas.com.au)